

WorldGSM™ VBTSi

Best in Class Energy efficient, 3GPP standards compliant, Dual TRX 2W Micro BTS, with advanced coverage features – Diversity and Hopping - optimized for Village deployments

OVERVIEW

The WorldGSM™ VBTSi is a small capacity, compact, tower mounted, 3GPP compliant, GSM/EDGE base station available in all standard GSM frequency bands -850/900/1800/1900 MHz, that can be entirely solar powered, requiring very little power and is designed to operate outdoors in harsh environments, with no need for a shelter and air conditioning. With VNL's solar based power solution, no grid power, generator or diesel fuel is required.

VNL's WorldGSM™ VBTSi optimum specifications indirectly reduce the overall TCO incurred on setting up of multiple BTS sites. A typical VBTSi based site consists of a 12/15m light mast, entirely running on solar power solution from VNL, providing optimum RF coverage and capacity. Such sites due to less stringent passive infrastructure and power requirements can be easily replicated and operators can scale rapidly with minimum capex with good coverage.

Following market segments can be served efficiently with VBTSi based Site deployments.

- **Rural and/or Remote Communities** usually deprived of mobile services due to low ARPU and accessibility challenges.

The box is packaged with accessories necessary for required for simple Outdoor site deployment, making it a truly DIY (Do-It-Yourself) Site deployment.

BENEFITS


- Overcome challenges in remote deployments and help to provide mobile coverage to remote areas quickly
- Expand rapidly and scale due to simple infrastructure requirements for complete site deployment
- Near zero opex (as site can operate on 100% solar power and near zero maintenance cost), makes telecom services profitable even at low ARPU levels
- Coverage and capacity on demand, for outdoor deployments
- Optimized for satellite deployment




VBTSi

HIGHLIGHTS

- Supports AMR, EGPRS, Handovers with Best in Class Power Consumption – Reduced Opex
- Compact Form Factor – Easy to Transport and Install
- 3GPP Standards Compliant – Better Performance
- Built in Optimizations for Bandwidth Savings e.g. Local Switching – Calls within Same BTS/ BTS Cluster are Switched Locally
- Support SON (Self Organizing Networks) Features, DIY (Do-It-Yourself) Installation, Operation and Maintenance



Typical VBTSi Outdoor Omni Site with IP radio or VSAT backhaul towards Mobile operator



Typical Outdoor 2+2+2 Sector Site (3 VBTSi) with IP radio or VSAT backhaul towards Mobile operator

Related Products: Deployed with Cloud BSC or Cloud ESN, and Cloud OMC; Other BTS variants - Micro1-BTS, Mirco2-BTS, RBTSi

WorldGSM™ VBTSi

SPECIFICATIONS

SWaP (Size, Weight and Power)	
Dimensions (HxWxD)	583 x 393 x 145 mm
Weight / Volume	18 Kg Approx / 33.2 L
Power Supply	48V DC
Power Consumption	65W
SYSTEM	
Type	Outdoor
Mounting	Pole, Wall
Frequency Band	GSM 850 / 900 / 1800/ 1900
Functionality	BTS
RF Power Output at Antenna Port	+33dbm (2W)
Receiver Sensitivity	-111 dbm
Receive Diversity	Yes
Frequency Hopping	Yes
CAPACITY	
Subscriber (2% GOS, 25mE Traffic per Subscriber, 28 AMR HR)	806
Concurrent Voice Calls	15 with FR, 30 with AMR-HR
EGPRS Timeslots	Configurable (upto 15)
FEATURES	
3GPP Compliance	Release 5
Clock	GPS, IEEE 1588v2
Voice Codec	AMR, EFR, FR
GPRS, EGPRS	CS1-4, MCS1-9
SON	Yes*
PHYSICAL INTERFACES	
Ethernet Port	1 (RJ45, Fast Ethernet)
Power Input	48V DC
Network Scan Antenna Port	SMA-Female
RF Antenna Port	2 Ports, N-Female
ENVIRONMENT	
Water and Dust Protection	IP65
Storage	ETS 300 019-1-1, Class 1.1
Transportation	ETS 300 019-1-2, Class 2.3
Operating Conditions	ETS 300 019-1-3, Class 3.3 ETS 300 019-1-4, Class 4.1
Operating Temperature Range	-30° C to +55 °C

* Roadmap

Shyam logo and VNL logo are registered trademarks of Vihaan Networks Limited.
Shyam VNL assumes no responsibility for any inaccuracies in this document and reserves the right to revise this document without notice.

CORPORATE HEADQUARTERS

Vihaan Networks Limited
VNL, 21-B, Sector 18, Udyog Vihar
Gurgaon 122 015, Haryana, INDIA
Tel +91 124 265 7600
www.vnl.in

